## **Section 1\_Site Characterization:** Citations to Documents Cross Reference

Citation in Section 1	Document / Comments
Alimahomed, F., Haddad, E., Velez, E., Foster, R., Downing, T., Seth, C., Melzer, S., Downing, W. (2018). The San Andres Play: Observations and Challenges in Horizontal Wells on the Central Basin Platform, Permian Basin. <i>Society of Petroleum Engineers</i> .	Submitted to EPA via alternative means
Andreason, M.W. (1992). Coastal siliciclastic sabkhas and related evaporative environments of the Permian Yates Formation, North Ward-Estes Field, Ward County, Texas. <i>American Association of Petroleum Geologists Bulletin, Vol. 76, No. 11, P. 1735-1759</i> .	Submitted to EPA via alternative means
Atchley, S.C., Kozar, M.G., Yose, L.A. (1999). A Predictive Model for Reservoir Distribution in the Permian (Leonardian) Clear Fork and Glorieta Formations, Robertson Field Area, West Texas. <i>AAPG Bulletin, V. 83, No. 7, P. 1031-1056</i> .	Submitted to EPA via alternative means
Barree, R.D. (2009). Input Data for Frac Design Models. Barree & Associates LLC, 2009 Seminar.	Barree (2009).pdf
Beaumont, Christopher (1981). Foreland basins. <i>Geophys. J. R. Astr. Soc., V. 65, P. 291-329</i> .	Submitted to EPA via alternative means
Beaver, James L. (1982). Deposition and Diagenesis of Abo and Wichita Carbonates, Northern Midland Basin, Texas. <i>Texas Tech University Libraries</i> . Retrieved from http://hdl.handle.net/2346/9495	Submitted to EPA via alternative means
Bhatnagar, P., Scipione, M., Verma, S., Bianco, R. (2018). Characterization of mass transport deposit using seismic attributes: Spraberry formation, Midland Basin, West Texas. <i>SEG International Exposition and 88<sup>th</sup> Annual Meeting</i> .	Submitted to EPA via alternative means
Bhatnagar, P., Verma, S., Bianco, R. (2019). Characterization of mass transport deposits using seismic attributes: Upper Leonard Formation, Permian Basin. Society of Exploration Geophysicists and American Association of Petroleum Geologists, Interpretation, Vol. 7, No. 4, P. 1-14.	Submitted to EPA via alternative means

Bhatnagar, P., Verma, S., Trentham, R., Zobaa, M., Bianco, R., Watson, S. (2018). Geomorphologic Character of an Upper Leonardian Mass Transport Deposit, Midland Basin: Insights from 3D Seismic Data. <i>The University of Texas of the Permian Basin</i> . Retrieved from https://www.researchgate.net/publication/335150144	Submitted to EPA via alternative means
Borer, J.M., Harris, P.M. (2009). Computer Simulation of the Yates Formation (Permian, Delaware Basin) — Sequence Stratigraphy and Shelf-to-Basin Correlation Implications. <i>AAPG Search and Discovery Article #60044</i> .	Submitted to EPA via alternative means
Borer, J.M., Harris, P.M. (1991). Lithofacies and cyclicity of the Yates Formation, Permian Basin: implications for reservoir heterogeneity. <i>American Association of Petroleum Geologists Bulletin, Vol. 75, No. 4, P. 726-779.</i>	Submitted to EPA via alternative means
Brown, A.A., Loucks, R.G. (2016). Geological Controls on Evaporite – Carbonate Facies Transition in Permian Seven Rivers Formation, SE New Mexico. <i>AAPG Search and Discovery Article #51317</i> .	Submitted to EPA via alternative means
Browning, J., Gorrell, S.B., Asquith, G.B., Henderson, S.K., Watson, M.C., Sheridan, M. (2021). Evaluating the San Andres Horizontal Play in the Northwest Shelf of the Permian Basin, Developing Best Practices for Exploration. <i>Texas Tech University Libraries</i> . Retrieved from https://hdl.handle.net/2346/87838	Submitted to EPA via alternative means
Burnside, N.M., Naylor, M. (2014). Review and implications of relative permeability of CO <sub>2</sub> /brine systems and residual trapping of CO <sub>2</sub> . <i>International Journal of Greenhouse Gas Control, Vol. 23, P. 1-11</i> . Retrieved from http://dx.doi.org/10.1016/j.ijggc.2014.01.013	Submitted to EPA via alternative means
Caf, A.B., Pigott, J.D. (2021). Dolomitization geometry and reservoir quality from supervised Bayesian classification and probabilistic neural networks: Midland Basin Leonardian Wichita and Clear Fork Formations. Society of Exploration Geophysicists and American Association of Petroleum Geologists, Interpretation, Vol. 9, No. 2, P. T585-T598. Retrieved from http://dx.doi.org/10.1190/INT-2020-0204	Submitted to EPA via alternative means
Davis, Ken E. & Associates (1988). Survey of Methods to Determine Total Dissolved Solids Concentrations. U.S. Environmental Protection Agency, Underground Injection Control Program, EPA LOE Contract No. 68-03-3416.	Davis (1998).pdf
Detournay, E., Cheng, A.H.D. (1993). Fundamentals of Poroelasticity. <i>Comprehensive Rock Engineering: Principles, Practice and Projects, Vol. 2, P. 113-171.</i>	Submitted to EPA via alternative means

Draper, C.H., Kerans, C., Wahlman, G.P., Janson, X. (2019). Wolfcampian Shelf-to-Basin Stratigraphic Framework of the Central Basin Platform and Midland Basin, Andrews County, Texas. <i>The University of Texas at Austin, Jackson School of Geosciences</i> .	Submitted to EPA via alternative means
Dutton, A.R. (1987). Origin of brine in the San Andres Formation, evaporite confining system, Texas Panhandle and eastern New Mexico. <i>Geological Society of America Bulletin, Vol. 99, P. 103-112.</i>	Submitted to EPA via alternative means
Dutton, S.P., Kim, E.M., Broadhead, R.F., Breton, C.L., Raatz, W.D., Ruppel, S.C., Kerans, C. (2004). Play Analysis and Digital Portfolio of Major Oil Reservoirs in the Permian Basin: Application and Transfer of Advanced Geological and Engineering Technologies for Incremental Production Opportunities. The University of Texas at Austin, Bureau of Economic Geology, and New Mexico Bureau of Geology and Mineral Resources.	Submitted to EPA via alternative means
Eaton, B.A. (1969). Fracture Gradient Prediction and its application in Oilfield Operations. Journal of Petroleum Technology, SPE-2163-PA. Retrieved from https://doi.org/10.2118/2163-PA	Submitted to EPA via alternative means
Engle, M.A., Reyes, F.R., Varonka, M.S., Orem, W.H., Ma, L., Ianno, A.J., Schell, T.M., Xu, P., Carroll, K.C. (2016). Geochemistry of formation waters from the Wolfcamp and "Cline" shales: Insights into brine origin, reservoir connectivity, and fluid flow in the Permian Basin, USA. <i>USGS, Chemical Geology Vol. 425, P. 76-92</i> .	Submitted to EPA via alternative means
Ewing, J.E., Jones, T.L., Yan, T., Vreugdenhill, A.M. (2008). Groundwater Availability Model for the Dockum Aquifer – Final Report. <i>Prepared by INTERA Inc. for Texas Water Development Board, Austin, Texas.</i>	Ewing (2008).pdf
Ewing, T.E. (2019). Tectonics and Subsidence in the West Texas (Permian) Basin: A Model for Complex Intracratonic Basin Development. <i>AAPG Search and Discovery Article #30606</i> .	Submitted to EPA via alternative means
Fairhurst, B., Ikonnikova, S., Dommisse, R., Hamlin, S., Carr, D., Gherabati, A., Male, F., Yurchenko, I. (2019). Reconstructing the Permian Basin for Wolfberry and Wolfbone Unconventional Assessment. <i>The University of Texas at Austin, Bureau of Economic Geology</i> .	Submitted to EPA via alternative means
Galley, J.D. (1958). Oil and gas geology in the Permian Basin in Texas and New Mexico. Weeks, L.G., ed., Habitat of oil—a symposium: Tulsa, Oklahoma, American Association of Petroleum Geologists, P. 395-446.	Submitted to EPA via alternative means

Galloway, W.E., Tyler, N., Garrett Jr., C.M., Bebout, D.G., Cheng, E.S., Fisher, W.L., Ewing, T.E., Posey, J.S., Dutton, S.P. (1983). Geological Characterization of Texas Oil Reservoirs. <i>The University of Texas at Austin, Bureau of Economic Geology</i> .	Submitted to EPA via alternative means
Garber, R.A., Harris, P.M. (2009). Depositional Facies of Grayburg/San Andres Dolomite Reservoirs, Central Basin Platform, Permian Basin. <i>AAPG Search and Discovery Article #60031</i> .	Submitted to EPA via alternative means
Garcia-Fresca, B., Lucia, F.J., Sharp Jr., J.M., Kerans, C. (2012). Outcrop-constrained hydrogeological simulations of brine reflux and early dolomitization of the Permian San Andres Formation. <i>AAPG Bulletin, Vol. 96, No. 9, P. 1757-1781</i> .	Submitted to EPA via alternative means
George, P.G., Mace, R.E., Petrossian, R. (2011). Aquifers of Texas. <i>Texas Water Development Board, Report 380</i> .	George (2011).pdf
Grigg, R.B., Svec, R.K., Ferguson, D.J. (2002). Improving CO2 Efficiency for Recovering Oil in Heterogeneous Reservoirs. <i>New Mexico Petroleum Recovery Research Center, DOE Contract No. DE-FG26-01BC15364</i> .	Grigg (2002).pdf
Handford, C.R. (1981). Sedimentology and Genetic Stratigraphy of Dean and Spraberry Formations (Permian), Midland Basin, Texas. <i>The American Association of Petroleum Geologists.</i>	Submitted to EPA via alternative means
Helbert, D.K., Ruppel, S.C., Kerans, C., Fisher, W.L. (2010). Reservoir Characterization and Sequence Stratigraphy of Permian San Andres Platform Carbonates, Fullerton Field, Permian Basin, West Texas. <i>The University of Texas at Austin, Jackson School of Geosciences</i> .	Submitted to EPA via alternative means
Hinterlong, G.D., Taylor, A.R. (1996). Characterization of Rock Types with Mixed Wettability Using Log and Core Data – DOE Project Welch Field, Dawson County, Texas. <i>SPE-35160-MS</i> .	Submitted to EPA via alternative means
Hiss, K.A., Williamson, D.B. (2020). Facies and Stratigraphy of the San Andres Formation (Mid-Permian) Petroleum Province, Northwest Shelf of the Permian Basin, West Texas: A Resurgent Play. <i>The University of Texas at Dallas, GSA South-Central Section</i> .	Submitted to EPA via alternative means

Hoak, T., Sundberg, K., Ortoleva, P. (1998). Overview of the Structural Geology and Tectonics of the Central Basin Platform, Delaware Basin, and Midland Basin, West Texas and New Mexico. <i>US Department of Energy, Report No. DOE/PC/91008-23-Pt.8</i> .	Hoak (1998).pdf
Holtz, M.H., Garrett Jr., C.M., Tremblay, T.A., Finley, R.J., Tyler, N. (1993). Update of Atlas of Major Texas Oil Reservoirs Data Base and Atlas of Major Texas Gas Reservoirs Data Base. <i>The University of Texas at Austin, Bureau of Economic Geology</i> .	Submitted to EPA via alternative means
Honarpour, M.M., Nagarajan, N.R., Grijalba, A.C., Valle, M., Adesoye, K. (2010). Rock-Fluid Characterization for Miscible CO <sub>2</sub> Injection: Residual Oil Zone, Seminole Field, Permian Basin. <i>Society of Petroleum Engineers, No. 133089</i> .	Submitted to EPA via alternative means
Horne, E.A., Hennings, P.H., Zahm, C.K. (2021). Basement-Rooted Faults of the Delaware Basin and Central Basin Platform, Permian Basin, West Texas and Southeastern New Mexico. <i>The University of Texas at Austin, Bureau of Economic Geology</i> .	Submitted to EPA via alternative means
Hoteit, H., Fahs, M., Soltanian, M.R. (2019). Assessment of CO <sub>2</sub> Injectivity During Sequestration in Depleted Gas Reservoirs. <i>MDPI Geosciences 2019, Vol. 9, No. 199</i> .	Submitted to EPA via alternative means
Hovorka, S.D. (1997). Salt Cavern Studies – Regional Map of Salt Thickness in the Midland Basin. The University of Texas at Austin, Bureau of Economic Geology.	Submitted to EPA via alternative means
Hovorka, S.D., Nava, R. (2000). Characterization of Bedded Salt for Storage Salt Caverns – A Case Study from the Midland Basin, Texas. <i>The University of Texas at Austin, Bureau of Economic Geology</i> .	Submitted to EPA via alternative means
Johnson, K.S. (1993). Dissolution of Permian Salado salt during Salado time in the Wink area, Winkler County, Texas. <i>New Mexico Geological Society, 44<sup>th</sup> Annual Fall Field Conference Guidebook, P. 211-218</i> .	Submitted to EPA via alternative means
Johnson, R.D., Mazzullo, J., Dorobek, S., Wu, C., Rabinowitz, P. (1997). The Facies, Environments of Deposition and Cyclicity of the Yates Formation, North Ward-Estes Field, Ward County, Texas. <i>Texas A&amp;M University</i> .	Submitted to EPA via alternative means

Kerans, C. (2006). San Andres Formation: Outcrop to Subsurface Stratigraphic Framework. <i>The University of Texas at Austin, Jackson School of Geosciences</i> .	Submitted to EPA via alternative means
Kerans, C., Kempter, K. (2002). Hierarchical stratigraphic analysis of a carbonate platform, Permian of the Guadalupe Mountains. <i>The University of Texas at Austin, Bureau of Economic Geology, American Association of Petroleum Geologists – Datapages Discovery Series No. 5.</i>	Submitted to EPA via alternative means
Kerans, C., Lucia, F.J., Senger, R.K. (1994). Integrated Characterization of Carbonate Ramp Reservoirs Using Permian San Andres Formation Outcrop Analogs. <i>AAPG Bulletin, Vol. 78, No. 2, P. 181-216</i> .	Submitted to EPA via alternative means
Kerans, C., Lucia, F.J., Senger, R.K., Fogg, G.E., Nance, H.S., Hovorka, S.D. (1992). Characterization of Facies and Permeability Patterns in Carbonate Reservoirs based on Outcrop Analogs. <i>The University of Texas at Austin, Bureau of Economic Geology</i> .	Submitted to EPA via alternative means
Koperna, G.J. (2020). CarbonSAFE Phase II: 8.1.a Project ECO <sub>2</sub> S Numerical Modeling Report. <i>U.S. Department of Energy, DOE Project DE-FE0029465</i> .	Koperna (2020).pdf
Kuuskraa, V.A., Petrusak, R., Wallace, M. (2020). A Four-County Appraisal of the San Andres Residual Oil Zone (ROZ) "Fairway" of the Permian Basin. <i>U.S. Department of Energy, National Energy Technology Laboratory, DOE/NETL-2020/2627</i> .	Kuuskraa (2020).pdf
Lee, B., Khoudaiberdiev, R., Lujan, B., Verma, S. (2019). Depositional Environment and Sedimentary Structures of the Grayburg Formation, Midland Basin. <i>AAPG Search and Discovery Article #51550</i> .	Submitted to EPA via alternative means
Leibrock, R.M., Hiltz, R.G., Huzarevich, J.E. (1951). Results of Gas Injection in the Cedar Lake Field. Petroleum Transactions, AIME, Vol. 192, P. 357-366.	Submitted to EPA via alternative means
Li, S., Yu, X., Li, S., Giles, K.A. (2015). Role of sea-level change in deep water deposition along a carbonate shelf margin, Early and Middle Permian, Delaware Basin: implications for reservoir characterization. <i>Geologica Carpathica, Vol. 66, No. 2, P. 99-116</i> .	Submitted to EPA via alternative means

Lindsay, R. (2017). Grayburg Formation Reservoir-Scale Architecture and Sequence Stratigraphy, Permian Basin. <i>AAPG Search and Discovery Article #51388</i> .	Submitted to EPA via alternative means
Lucia, F.J. (2007). Carbonate Reservoir Characterization, an Integrated Approach. <i>The University of Texas at Austin, Bureau of Economic Geology</i> .	Submitted to EPA via alternative means
Matchus, E.J., Jones, T.S. (1984). East-west cross section through Permian Basin of West Texas. West Texas Geological Society.	Matchus (1984).pdf
Mazullo, J., Malicse, A., Siegel, J. (1991). Facies and Depositional Environments of the Shattuck Sandstone on the Northwest Shelf of the Permian Basin. <i>Journal of Sedimentary Petrology, Vol. 61, No. 6, P. 940-958.</i>	Submitted to EPA via alternative means
Mazzullo, S.J., Reid, A.M. (1989). Depositional-sequence analysis of Lower Permian progradational systems, Midland basin, Texas. <i>Kansas Geological Survey, Subsurface Geology Vol. 12, P. 47-50</i> .	Submitted to EPA via alternative means
Mazzullo, S.J., Reid, A.M. (1989). Lower Permian Platform and Basin Depositional Systems, Northern Midland Basin, Texas. <i>Society of Economic Paleontologists and Mineralogists Special Publication No. 44</i> .	Submitted to EPA via alternative means
McKee, E.D., Oriel, S.S. (1967). Paleotectonic Investigations of the Permian System in the United States. U.S. Department of the Interior (DOI), Geological Survey Professional Paper 515.	McKee (1967).pdf
Melzer, S. (2006). Stranded Oil in the Residual Oil Zone. Prepared for Advanced Resources International and U.S. Department of Energy Office of Fossil Energy-Office of Oil and Natural Gas. Retrieved from https://doi.org/10.13140/RG.2.2.16299.95528	Submitted to EPA via alternative means
Merrill, M.D., Slucher, E.R., Roberts-Ashby, T.L., Warwick, P.D., Blondes, M.S., Freeman, P.A., Cahan, S.M., DeVera, C.A., Lohr, C.D. (2015). Geologic Framework for the National Assessment of Carbon Dioxide Storage Resources – Permian and Palo Duro Basins and Bend Arch-Fort Worth Basin. USGS Geologic Framework for the National Assessment of Carbon Dioxide Storage Resources, Chapter K.	Submitted to EPA via alternative means

Nance, H.S. (2006). Geology and Reservoir Development in the Upper Guadalupian Series Permian Basin. <i>The University of Texas at Austin, Jackson School of Geosciences</i> .	Submitted to EPA via alternative means
Nance, H.S. (2020). Guadalupian (Artesia Group) and Ochoan Shelf Succession of the Permian Basin: Effects of Deposition, Diagenesis, and Structure on Reservoir Development. <i>The University of Texas at Austin, Bureau of Economic Geology</i> .	Submitted to EPA via alternative means
Occidental Petroleum Ltd. (2015). Oxy Denver Unit CO <sub>2</sub> Subpart RR – Monitoring, Reporting and Verification (MRV) Plan. <i>Environmental Protection Agency</i> .	OXY - DENVER MRV (2015).pdf
Occidental Petroleum Ltd. (2017). Oxy Hobbs Field CO <sub>2</sub> Subpart RR – Monitoring, Reporting and Verification (MRV) Plan. <i>Environmental Protection Agency</i> .	OXY - HOBBS MRV (2017).PDF
Occidental Petroleum Ltd. (2020). Oxy West Seminole San Andres Unit CO <sub>2</sub> Subpart RR – Monitoring, Reporting and Verification (MRV) Plan. <i>Environmental Protection Agency</i> .	OXY - West Seminole MRV (2020).pdf
Onishi, T., Nguyen, M.C., Carey, J.W., Will, B., Zaluski, W., Bowen, D.W., Devault, B.C., Duguid, A., Zhou, Q., Fairweather, S.H., Spangler, L.H., Stauffer, P.H. (2019). Potential CO <sub>2</sub> and brine leakage through wellbore pathways for geologic CO <sub>2</sub> sequestration using the National Risk Assessment Partnership tools: Application to the Big Sky Regional Partnership. <i>International Journal of Greenhouse Gas Control, Vol. 81, P. 44-65</i> .	Submitted to EPA via alternative means
Perlman, Z.S. (2017). Stratigraphic, Geochemical, and Geochronological Analysis of the Wolfcamp-D Interval, Midland Basin, Texas. <i>The University of Kentucky, Earth and Environmental Sciences</i> .	Perlman (2017).pdf
Playton, T., Kerans, C. (2006). Early Permian Carbonate Slope & Basin Channel-Fan Complexes, West Texas: Implications for Early Permian Deep Water Reservoir Development in the Permian Basin. <i>The University of Texas at Austin, Bureau of Economic Geology, PGGSP Annual Meeting</i> .	Submitted to EPA via alternative means
Popova, O. (2020). Permian Basin, Part 1: Wolfcamp, Bone Spring, Delaware Shale Plays of the Delaware Basin. <i>U.S. Energy Information Administration</i> . Retrieved from https://www.eia.gov/maps/pdf/Permian-pl_Wolfcamp-Bonespring-Delaware.pdf	Popova (2020).pdf

Popova, O. (2022). Permian Basin, Part 2: Wolfcamp and Spraberry Shale Plays of the Midland Sub-Basin. <i>U.S. Energy Information Administration</i> . Retrieved from https://www.eia.gov/maps/pdf/Permian-p2_Spraberry_Midland.pdf	Popova (2022).pdf
Pranter, M.J., Hurley, N.F., Davis, T.L. (2004). Anhydrite distribution within a shelf-margin carbonate reservoir: San Andres Formation, Vacuum Field, New Mexico, USA. <i>Geological Society of London, Petroleum Geoscience, Vol. 10, P. 43-52</i> .	Submitted to EPA via alternative means
Raza, A., Gholami, R., Rezaee, R., Bing, C.H., Nagarajan, R., Hamid, M.A. (2018). CO <sub>2</sub> storage in depleted gas reservoirs: A study on the effect of residual gas saturation. <i>Petroleum, Vol. 4, No. 1, P. 95-107</i> . Retrieved from https://doi.org/10.1016/j.petlm.2017.05.005	Submitted to EPA via alternative means
Raziperchikolaee, S., Singh, V., Kelley, M. (2020). The effect of Biot coefficient and elastic moduli stress—pore pressure dependency on poroelastic response to fluid injection: laboratory experiments and geomechanical modeling. Greenhouse Gases: Science and Technology. Retrieved from https://doi.org/10.1002/ghg.2019	Submitted to EPA via alternative means
Ren, B., Duncan, I.J. (2021). Maximizing Oil Production from Water Alternating Gas (CO <sub>2</sub> ) Injection into Residual Oil Zones: The Impact of Oil Saturation and Heterogeneity. <i>The University of Texas at Austin, Bureau of Economic Geology.</i> Retrieved from https://www.sciencedirect.com/science/article/pii/S036054422100164X	Submitted to EPA via alternative means
Ren, B., Duncan, I.J. (2019). Modeling Oil Saturation Evolution in Residual Oil Zones: Implications for CO <sub>2</sub> EOR and Sequestration. <i>The University of Texas at Austin, Bureau of Economic Geology</i> . Retrieved from https://www.sciencedirect.com/science/article/pii/S0920410519302098	Submitted to EPA via alternative means
Ren, B., Duncan, I.J. (2018). Reservoir Simulation of Carbon Storage Associated with CO2 EOR in Residual Oil Zones, San Andres Formation of West Texas, Permian Basin, USA. <i>The University of Texas at Austin, Bureau of Economic Geology</i> . Retrieved from https://www.sciencedirect.com/science/article/pii/S0360544218322114	Submitted to EPA via alternative means
Rogers, B.F., Hu, Q. (2017). Petrophysical Characterization of the Jo Mill Submarine Fan Complex, Spraberry Trend, Midland Basin, Texas. <i>The University of Texas at Arlington</i> .	Rogers (2017).pdf
Rose, M.W. (2005). Application of Water-Jet Horizontal Drilling Technology to Drill and Acidize Horizontal Drain Holes, Tedbit (San Andres) Field, Gaines County, Texas. <i>U.S. Department of Energy, NETL/NPTO No. 288, P. 2-11</i> .	Rose (2005).pdf

Ruppel, S.C. (2006). Key to Reservoir Development and Characterization: Clear Fork, Wichita, Abo. <i>The University of Texas at Austin, Jackson School of Geosciences</i> .	Submitted to EPA via alternative means
Ruppel, S.C. (2001). Opportunities for Recovery of Remaining Oil in San Andres Reservoirs: Example from Fuhrman-Mascho Field, University Lands Block 10, Andrews County, Texas. <i>The University of Texas at Austin, Jackson School of Geosciences</i> .	Submitted to EPA via alternative means
Ruppel, S.C., Cander, H.S. (1988). Dolomitization of shallow-water platform carbonates by sea water and seawater-derived brines: San Andres Formation (Guadalupian), West Texas. <i>SEPM Special Publications No. 43</i> .	Submitted to EPA via alternative means
Saller, A., Bierly, L., Shafer, D., Owens, L. (2012). Contrasting Styles of San Andres Reservoirs: Vacuum Versus Slaughter Fields, Middle Permian, West Texas and Southeast New Mexico. <i>AAPG Search and Discovery Article #20168</i> .	Submitted to EPA via alternative means
Sarg, J.F. (1981). Petrology of the carbonate-evaporite facies transition of the Seven Rivers Formation (Guadalupian, Permian), southeast New Mexico. <i>Journal of Sedimentary Petrology, Vol.</i> 51, No. 1, P. 73-96.	Submitted to EPA via alternative means
SEPM Strata (2022). The Geology of the Upper Permian – Permian Basin. SEPM Strata – Society for Sedimentary Geology. Retrieved from www.sepmstrata.org	SEPM Strata (2022).pdf
Shelton, J.L., McIntosh, J.C., Hunt, A.G., Beebe, T.L., Parker, A.D., Warwick, P.D., Drake II, R.M., McCray, J.E. (2016). Determining CO2 storage potential during miscible CO2 enhanced oil recovery: Noble gas and stable isotope tracers. <i>International Journal of Greenhouse Gas Control, Vol. 51, P. 239-253</i> .	Submitted to EPA via alternative means
Silver, B.A., Todd, R.G. (1969). Permian cyclic strata, northern Midland and Delaware Basins, West Texas and Southeastern New Mexico. <i>American Association of Petroleum Geologists Bulletin, Vol.</i> 53, P. 2223-2251.	Submitted to EPA via alternative means
Snee, J.L., Zoback, M.D. (2018). State of stress in the Permian Basin, Texas and New Mexico: Implications for induced seismicity. <i>Stanford University, Department of Geophysics, The Leading Edge</i> .	Submitted to EPA via alternative means

Spitz, T., Chalmers, H., Ascui, F., Lucquiaud, L. (2017). Operating flexibility of CO2 injection wells in future low carbon energy system. <i>Energy Procedia, Vol. 114, P. 4797-4810</i> .	Submitted to EPA via alternative means
Tait, D.B., Ahlen, J.L., Gordon, A., Scott, G.L., Motts, W.S., Spitler, M.E. (1962). Artesia Group of New Mexico and West Texas. <i>Bulletin of the American Association of Petroleum Geologists, Vol.</i> 46, No. 4, P. 504-517.	Submitted to EPA via alternative means
Teeple, A.P., Ging, P.B., Thomas, J.V., Wallace, D.S., Payne, J.D. (2021). Hydrogeologic Framework, Geochemistry, Groundwater-Flow System, and Aquifer Hydraulic Properties used in the Development of a Conceptual Model of the Ogallala, Edwards-Trinity (High Plains), and Dockum Aquifers in and near Gaines, Terry, and Yoakum Counties, Texas. <i>USGS Scientific Investigations Report 2021-5009</i> .	Submitted to EPA via alternative means
Tinsley, W.E., Shurbet, M., Gilmore, R.B., McCoy, J.H., Potts, M.T., Illig, C. (1972). A Survey of the Subsurface Saline Water of Texas. <i>Texas Water Development Board, Vol. 2, Report No. 157</i> .	Tinsley (1972).pdf
Trentham, R.C. (2014). Goldsmith Landreth San Andres Unit (GLSAU) #203R-A CO2 Oil Bank Caught in the Act. AAPG Search and Discovery Article #10648.	Submitted to EPA via alternative means
Trentham, R.C., Melzer, L.S., Kuuskraa, V., Koperna, G. (2015). Case Studies of the ROZ CO2 Flood and the Combined ROZ/MPZ CO2 Flood at the Goldsmith Landreth Unit, Ector County, Texas. Using "Next Generation" CO2 EOR Technologies to Optimize the Residual Oil Zone CO2 Flood. <i>U.S. Department of Energy, DE-FE0005889</i> .	Trentham Case Studies (2015).pdf
Trentham, R.C., Melzer, L.S., Vance, D.B., Kuuskraa, V., Petrusak, R. (2015). Identifying and developing technology for enabling small producers to pursue the residual oil zone (ROZ) fairways in the Permian Basin San Andres. University of Texas of the Permian Basin, RPSEA. Retrieved from https://www.researchgate.net/publication/341357679	Submitted to EPA via alternative means
Tucker, K.E., Chalcraft, R.G. (1991). Cyclicity in the Permian Queen Formation – U.S.M. Queen Field, Pecos County, Texas. SEPM Society for Sedimentary Geology, Vol. 15, P. 385-428. Retrieved from https://doi.org/10.2110/cor.91.15	Submitted to EPA via alternative means
Tutolo, B.M., Luhmann, A.J., Kong, X.Z., Saar, M.O., Seyfried Jr., W.E. (2019). CO2 sequestration in feldspar-rich sandstone: Coupled evolution of fluid chemistry, mineral reaction rates, and hydrogeochemical properties. <i>University of Minnesota, Department of Earth Sciences</i> . Retrieved from https://www.sciencedirect.com/science/article/pii/S0016703715001957	Submitted to EPA via alternative means

Tyler, N., Guevara, E.H., Coates, G.R., Wolff, M., Mukhopadhyay, P.K., Roberts, M.P., Gholston, J.C., Farrely, J.J., Graham, R.L., Walter, T., Reistroffer, J.R. (1987). Geological Characterization and Reserve Growth Potential of Spraberry Reservoirs in the Midland Basin, West Texas. <i>The University of Texas at Austin, Bureau of Economic Geology.</i>	Submitted to EPA via alternative means
Wahlman, G.P., Tasker, D.R. (2013). Lower Permian (Wolfcampian) Carbonate Shelf-Margin and Slope Facies, Central Basin Platform and Hueco Mountains, Permian Basin, West Texas, USA. SEPM Society for Sedimentary Geology, Special Publication No. 105, P. 305-333.	Submitted to EPA via alternative means
Waite, L. (2021). Stratigraphic Framework of the Wolfcamp-Spraberry of the Midland Basin. University of Texas at Dallas, Abilene Geologic Society.	Waite (2021).pdf
Waite, L. (2019). Stratigraphic Framework of the Wolfcamp-Spraberry of the Midland Basin. University of Texas at Dallas, Roswell Geologic Society.	Waite (2019).pdf
Waite, L., Stern, R.J. (2021). Reefs of the Permo-Penn Caribbean: The Horseshoe Atoll of the Midland Basin. <i>University of Texas at Dallas</i> .	Submitted to EPA via alternative means
Wang, J., Zhao, Y., An, Z., Shabani, A. (2022). CO <sub>2</sub> storage in carbonate rocks: An experimental and geochemical modeling study. <i>Journal of Geochemical Exploration, Vol. 234, P. 1-14</i> . Retrieved from https://doi.org/10.1016/j.gexplo.2021.106942	Submitted to EPA via alternative means
Ward, R.F., Kendall, C.G., Harris, P.M. (1986). Upper Permian (Guadalupian) facies and their association with hydrocarbons – Permian basin, west Texas and New Mexico. <i>AAPG Bulletin, Vol. 70, No. 3, P. 239-262</i> .	Submitted to EPA via alternative means
Ward, Z.D., Pashin, J.C., Puckette, J., Hileman, M. (2013). Depositional Processes and Environments in Wolfcampian-Leonardian Strata, Southern Midland Basin, Texas. <i>Oklahoma State University</i> .	Ward (2013).pdf
Warn, G.F., Sidwell, R. (1953). Petrology of the Spraberry Sands of West Texas. <i>Journal of Sedimentary Petrology, Vol. 23, No. 2, P. 67-74</i> .	Submitted to EPA via alternative means

Wells, J.A., Evans, L.J. (1992). Engineering Evaluation and Performance Analysis of the Loop Gas Storage Field. <i>Society of Petroleum Engineers, SPE No. 24922</i> .	Submitted to EPA via alternative means
Zapata, Y., Kristensen, M.R., Huerta, N., Brown, C., Kabir, C.S., Reza, Z. (2020). CO2 geological storage: Critical insights on plume dynamics and storage efficiency during long-term and post-injection period. Journal of Natural Gas Science and Engineering, Vol. 83, P. 1-29. Retrieved from https://doi.org/10.1016/j.jngse.2020.103542	Submitted to EPA via alternative means